

Appendix A

Bibliography

Aguado, P., del Campo, M.T., Garcés, M.V., González-Casaús, M.L., Bernad, M. Gijón-Baños, J., Mola, E.M., Torrijos, A., and Martínez, M.E. 2000. Low vitamin D levels in outpatient postmenopausal women from a rheumatology clinic in Madrid, Spain: Their relationship with bone mineral density. *Osteoporosis* 11:744.

Aloia, J.F., Vaswani, A., Yeh, J.D., Ross, P.L., Flaster, E. and Dilmanian, F.A. 1994. Calcium supplementation with and without hormone replacement therapy to prevent postmenopausal bone loss. *Ann. Intern. Med.* 120:97.

Aloia, J.F., Vaswani, A., Yeh, J.D. and Flaster, E. 1996. Risk of osteoporosis in Black women. *Calcif. Tissue Int.* 59:415.

American Academy of Pediatrics, Committee on Nutrition. 1999. Calcium requirements of infants, children and adolescents. *Ped.* 104:1152.

Anderson, J.J.B. and Rondano, P.A. 1996. Peak bone mass development of females: Can young adult women improve their peak bone mass? *J. Am. Col. Nutr.* 15:570.

Anderson, J.J.B. 2001. Calcium requirements during adolescence to maximize bone health. *J. Am. Col. Nutr.* 20:186S.

Appel, L.J., Moore, T.J., Obarzanek, E., Vollmer, W.M., Svetkey, L.P., Sacks, F.M., Bray, G.A., Vogt, T.M., Cutler, J.A., Windhauser, M.M., Lin, P-H. and Karanja, N. for the DASH Collaborative Research Group. 1997. A clinical trial of the effects of dietary patterns on blood pressure. *New Eng. J. Med.* 336:1117.

Aptel, I., Cance-Rouzaud, A., Grandjean, H. for the EPIDOS Study Group. 1999. Association between calcium ingested from drinking water and femoral bone density in elderly women: Evidence from the EPIDOS cohort. *J. Bone Min. Res.* 14:829.

Association of Official Analytical Chemists. 1995. Official methods of analysis of the Association of Official Analytical Chemists, 16th ed. The Association of Official Analytical Chemists, Washington, DC.

Bæksgaard, L, Andersen, K.P. and Hyldstrup, L. 1998. Calcium and vitamin D supplementation increases spinal BMD in healthy, postmenopausal women. *Osteoporosis Int.* 8:255.

Barr, S.I., Petit, M.A., Vigna, Y.M and Prior, J.C. 2001. Eating attitudes and habitual calcium intake in peripubertal girls are associated with initial bone mineral content and its change over 2 years. *J. Bone Min. Res.* 16:940.

Bischoff, H.A., Stähelin, H.B., Cick, W., Akos, R., Knecht, M., Salis, C., Nebiker, M., Theiler, R., Pfeifer, M., Begerow, B., Lew, R.A. and Conzelmann, M. 2003. Effects of vitamin D and calcium supplementation on falls: A randomized controlled trial. *J. Bone Min. Res.* 18:343.

Bischoll-Ferrari, H.A., Dawson-Hughes, B., Willett, W.C., Staehelin, H.B., Bazemore, M.G., Zee, R.Y. and Wong, J.B. 2004. Effect of vitamin D on falls. A meta-analysis. *J. Am. Med. Assn.* 291:1999.

Bischoff-Ferrari, H.A., Dietrich, T., Orav, J. and Dawson-Hughes, B. 2004a. Positive association between 25-hydroxy vitamin D levels and bone mineral density: A population-based study of younger and older adults. *Am. J. Med.* 116:634.

Black, R.W., Williams, S.M., Jones, I.W. and Goulding, A. 2002. Children who avoid drinking cow milk have low dietary calcium intakes and poor bone health. *Am. J. Clin. Nutr.* 76:675.

Blank, R.D. and Bockman, R.S. 1999. A review of clinical trials of therapies for osteoporosis using fracture as an end point. *J. Clin. Dens.* 2:435.

Bonjour, J-P., Carrie, A-L., Ferrari, S., Clavien, H., Slosman, D. and Theintz, G. 1997. Calcium-enriched foods and bone mass growth in prepubertal girls: A randomized, double-blind, placebo-controlled trial. *J. Clin. Invest.* 99:1287.

→ Bonjour, J-P., Chevalley, T., Ammann, P., Slosman, D. and Rizzoli, R. 2001. Gain in bone mineral mass in prepubertal girls 3-5 years after discontinuation of calcium supplementation: a follow-up study. *Lancet* 358:1208.

Burger, H., de Laet, C.E.D.H., van Daele, P.I.L.A., Weel, A.E.A.M., Witteman, J.C.M., Hofman, A., and Pols, H.A.P. 1998. Risk factors for increased bone loss in an elderly population. The Rotterdam Study. *Am. J. Epi.* 147:871.

Cadogan, J., Eastell, R., Jones, N and Barker, M.E. 1997. Milk intake and bone mineral acquisition in adolescent girls: randomized, controlled intervention trial. *Br. J. Med.* 315:1255.

Calvo, M.S. 2000. Dietary considerations to prevent loss of bone and renal function. *Nutrition* 16:2000.

Cepollaro, C., Orlando, G., Bonnelli, S., Ferrucci, G., Arditti, J.S., Borracelli, D., Toti, E. and Gennari, C. 1996. Effect of calcium supplementation as a high-calcium mineral water on bone loss in early postmenopausal women. *Calcif. Tissue Int.* 59:238.

Chan, G.M., Hoffman, K. and McMurry, M. 1995. Effects of dairy products on bone and body composition in pubertal girls. *J. Ped.* 126:551.

Chan, H.H.L., Lau, E.M.C., Woo, J., Lin, F., Sham, A. and Leung, P.C. 1996. Dietary calcium intake, physical activity and the risk of vertebral fracture in Chinese. *Osteoporosis Int.* 6:228.

Chapuy, M.C., Arlot, M.E., Duboeuf, F., Brun, J., Crouzet, B., Arnaud, S., Delmas, P.D., and Meunier, P.J. 1992. Vitamin D₃ and calcium to prevent hip fractures in elderly women. *New Eng. J. Med.* 327:1637.

Chapuy, M.C., Arlot, M.E., Delmas, P.D. and Meunier, P.J. 1994. Effect of calcium and cholecalciferol treatment for three years on hip fractures in elderly women. *Br. Med. J.* 308:1081.

Chapuy, M.C., Preziosi, P., Maamer, M., Arnaud, S., Galan, P., Hercberg, S. and Meunier, P.J. 1997. *Osteoporosis Int.* 7:439.

Chee, W.S.S., Suriah, A.R., Chan, S.P., Zaitun, Y and Chan, Y.M. 2003. The effect of milk supplementation on bone mineral density in postmenopausal Chinese women in Malaysia. *Osteoporosis Int.* 14:828.

Cheng, S., Tylavsky, F., Kröger, H., Kärkkäinen, M., Lyytikäinen, A., Koistinen, A., Mahonen, A., Mlen, M., Halleen, J., Väänänen, K. and Lamberg-Allardt, C. 2003. Association of low-25-hydroxyvitamin D concentrations with elevated parathyroid hormone concentrations and low cortical bone density in early pubertal and prepubertal Finnish girls. *Am. J. Clin. Nutr.* 78:485.

Chevalley, T., Rizzoli, R., Nydegger, V., Slosman, D., Rapin, C-H., Michel, J-P., Vasey, H. and Bonjour, J-P. 1994. Effects of calcium supplements on femoral bone mineral density and vertebral fracture rate in vitamin-D-replete elderly patients. *Osteoporosis Int.* 4:245.

Cline, A.D., Jansen, G.R. and Melby, C.I. 1998. Stress fractures in female army recruits: Implications of bone density, calcium intake and exercise. *J. Am. Col. Nutr.* 17:128.

Cooper, L., Clifton-Bligh, B., Nery, M.L., Figtree, G., Twigg, S., Hibbert, E. and Robinson, B.G. 2003. Vitamin D supplementation and bone mineral density in early postmenopausal women. *Am. J. Clin. Nutr.* 77:1324.

Cumming, R.G. and Klineberg, R.J. 1994. Case-control study of risk factors for hip fractures in the elderly. *Am. J. Epi.* 139:493.

Cumming, R.G. and Nevitt, M.C. 1997. Calcium for prevention of osteoporotic fractures in postmenopausal women. *J. Bone Min. Res.* 12:1321.

Cumming, R.G., Summings, S.R., Nevitt, M.C., Scott, J., Ensrud, K.E., Vogt, T.M. and Fox, K. 1997. Calcium intake and fracture risk: Results from the Study of Osteoporotic Fractures. *Am. J. Epi.* 145:926

Cummings, S.R., Nevitt, M.C., Browner, W.S., Stone, K., Fox, K.M., Ensrud, K.S., Cauley, J., Black, D. and Vogt, T.M. 1995. Risk factors for hip fracture in white women. *New Eng. J. Med.* 332:767.

- Davis, J.W., Ross, P.D., Johnson, N.E. and Wasnich, R.D. 1995. Estrogen and calcium supplement use among Japanese-American women: Effects upon bone loss when used singly and in combination. *Bone* 17:369.
- Davis, J.W., Novotny, R., Ross, P.D. and Wasnich, R.D. 1996. Anthropometric, lifestyle and menstrual factors influencing size-adjusted bone mineral content in a multiethnic population of premenopausal women. *J. Nutr.* 126:2968.
- Dawson-Hughes, B., Dallal, G.E., Krall, E.A., Harris, S., Sokoll, L.J and Falconer, G. 1991. Effect of vitamin D supplementation on wintertime and overall bone loss in healthy postmenopausal women. *Ann. Int. Med.* 115:505.
- Dawson-Hughes, B. 1996. Calcium and vitamin D nutritional needs of elderly women. *J. Nutr.* 126:1165S.
- Dawson-Hughes, B., Harris, S.S., Krall, E.A. and Dallal, G.E. 1997. Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. *New Eng. J. Med.* 337:670.
- Dawson-Hughes, B. 1998. Vitamin D and calcium: Recommended intake for bone health. *Osteoporosis Int.* 8:S30.
- Dawson-Hughes, B., Harris, S.S., Krall, E.A. and Dallal, G.E. 2000. Effect of withdrawal of calcium and vitamin D supplements on bone mass in elderly men and women. *Am. J. Clin. Nutr.* 72:745.
- del Puente, A., Esposito, A., Savastano, S., Carpineli, A., Postiglione, L. and Oriente, P. 2002. Dietary calcium intake and serum vitamin D are major determinants of bone mass variations in women. A longitudinal study. *Aging Clin. Exp. Res.* 14:382.
- Devine, A., Criddle, R.A., Dick, I.M., Kerr, D.A. and Prince, R.L. 1995. A longitudinal study of the effect of sodium and calcium intakes on regional bone density in postmenopausal women. *Am. J. Clin. Nutr.* 62:740.
- Devine, A., Dick, I.M., Heal, S.J., Criddle, R.A. and Prince, R.L. 1997. A 4-year follow-up study of the effects of calcium supplementation on bone density in elderly postmenopausal women. *Osteoporosis Int.* 7:23.
- Dibba, B., Prentice, A., Ceesay, M., Stirling, D.M., Cole, T.J. and Poskitt, E.M.E. 2000. Effect of calcium supplementation on bone mineral accretion in Gambian children accustomed to a low-calcium diet. *Am. J. Clin. Nutr.* 71:544.
- Du, X., Greenfield, H., Fraser, D.R, Angelika, A. and Wang, Y. 2001. Vitamin D deficiency and associated factors in adolescent girls in Beijing. *Am. J. Clin. Nutr.* 74:494.

Elders, P.J.M., Lips, P., Netelenbos, C., van Ginkel, F.C., Khoe, E., van der Vijgh, W.J.F. and van der Stelt, P.F. 1994. Long-term effect of calcium supplementation on bone loss in perimenopausal women. *J Bone Min. Res.* 9:963.

Elgán, C., Kydes, A-K. and Samsioe, G. 2002. Bone mineral density and lifestyle among female students aged 16-24 years. *Gynecol. Endocrinol.* 16:91.

Ensrud, K.R., Duong, T., Cauley, J.A., Heaney, R.P., Wolf, R.L., Harris, E. and Cummings, S.R. Low fractional calcium absorption increases the risk for hip fracture in women with low calcium intake. *Ann. Int. Med.* 132:345.

Fairfield, K.M. and Fletcher, R.H. 2002. Vitamins for chronic disease prevention in adults. *J. Am. Med. Assn.* 287:3116.

Feskanich, D., Willett, W.C., Stampfer, M.J. and Colditz, G.A. 1997. Milk, dietary calcium, and bone fractures in women: A 12-year prospective study. *Am. J. Pub. Health.* 87:992.

Feskanich, D., Willett, W.C. and Colditz, G.A. 2003. Calcium, vitamin D, milk consumption, and hip fractures: a prospective study among postmenopausal women. *Am. J. Clin. Nutr.* 77:504.

Filner, J.J., Krohn, K.D., Lapidus, J.A. and Becker, T.M. 2002. Risk factors for osteoporosis in Alaska native women: A cross-sectional study. *Alaska Med.* 44:8.

Food and Nutrition Board. 1968. "Recommended Dietary Allowances." 7th Edition. National Academy Press. Washington, DC.

Food and Nutrition Board. 1989. "Recommended Dietary Allowances." 19th Edition. National Academy Press. Washington, DC.

Food and Nutrition Board, Institute of Medicine. 1997. "Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. National Academy Press. Washington, DC.

Frary, C.D., Johnson, R.K. and Wand, M.Q. 2004. Children and adolescents' choices of foods and beverages high in added sugars are associated with intakes of key nutrients and food groups. *J. Adolesc. Health* 34:56.

Fujita, T., Ohue, T., Fujii, Y., Miyauchi, A. and Takagi, Y. 1995. Effect of calcium supplementation on bone density and parathyroid function in elderly subjects. *Miner. Electrolyte Metab.* 21:229.

Fujita, T., Ohue, T., Fujii, Y. and Miyauchi, A. 1996. Heated oyster shell-seaweed calcium (AAA Ca) on osteoporosis. *Calcif. Tissue Int.* 58:226.

- Fujiwara, S., Kasagi, F., Yamada, M. and Kodama, K. 1997. Risk factors for hip fracture in a Japanese cohort. *J. Bone Min. Res.* 12:998.
- Geier, K.A. 2001. Osteoporosis in men. *Orthopaed. Nursing* 20:49.
- Gloth, F.M. III, Gundberg, C.M., Hollis, B.W., Haddad, J.G. Jr. and Tobin, J.D. 1995. Vitamin D deficiency in homedbound elderly persons. *J. Am. Med. Assn.* 274:1683.
- Gordon, C.M. and Nelson, L.M. 2003. Amenorrhea and bone health in adolescents and young women. *Curr. Opin. Obstet. Gynecol.* 15:384.
- Goulding, A., Cannan, R., Williams, S.M., Gold, E.J., Taylor, R.W. and Lewis-Barned, N.J. 1998. Bone mineral density in girls with forearm fractures. *J. Bone. Min. Res.* 13:143.
- Graafmans, W.C., Lips, P., Ooms, M.E., van Leeuwen, J.P.T.M., Pols, H.A.P. and Uitterlinden, A.G. 1997. The effect of vitamin D supplementation on the bone mineral density of the femoral neck is associated with vitamin D receptor genotype. *J. Bone Min. Res.* 12:1241.
- Grados, F., Brazier, M., Kamel, S., Duver, S., Heurtebize, N., Maamer, M., Mathieu, M., Garabédian, M., Sebert, J-L. and Fardellone, P. 2003. Effects on bone mineral density of calcium and vitamin D supplementation in elderly women withy vitamin D deficiency. *Joint Bone Spine* 70:203.
- Gunnes, M and Lehmann, E.H. 1996. Physical activity and dietary constituents as predictors of forearm cortical and trabecular bone gain in healthy children and adolescents: a prospective study. *Acta Paediatr.* 85:19.
- Guthrie, J.R., Ebeling, P.R., Dennerstein, L. and Wark, J.D. 2000. Risk factors for osteoporosis: Prevalence, change and association with bone density. *Medscape Gen. Med.* 2(4).
- Haines, C.J., Chung, T.K.H., Leung, P.C., Hsu, Y.C. and Leung, D.H.Y. 1995. Calcium supplementation and bone mineral density in postmenopausal women using estrogen replacement therapy. *Bone* 16:529.
- Hannan, M.T., Felson, D.T., Dawson-Hughes, B., Tucker, K.L., Cupples, L.A., Wilson, P.W.F. and Kiel, D.P. 2000. Risk factors for longitudinal bone loss in elderly men and women: The Framingham Osteoporosis Study. *J. Bone Min. Res.* 15:710.
- Harris, S.S. and Dawson-Hughes, B. 1998. Seasonal changes in plasma 25-hydroxyvitamin D concentrations of young American black and white women. *Am. J. Clin. Nutr.* 67:1232.

- Harwood, R.H., Sahota, O., Gaynor, K., Masut, T. and Hosking, D.J. 2004. A randomized, controlled comparison of different calcium and vitamin D supplementation regimens in elderly women after hip fracture: The Nottingham Neck of Femur (NoNOF) Study. *Age and Aging* 33:45.
- Heaney, R.P. 2000. Calcium, dairy products and osteoporosis. *J. Am. Col. Nutr.* 19:83S.
- Heaney, R.P. 2000a. Vitamin D: How much do we need, and how much is too much? *Osteoporosis Int.* 11:553.
- Heaney, R.P. 2001. Calcium needs of the elderly to reduce fracture risk. *J. Am. Col. Nutr.* 20:192S.
- Heaney, R.P., Rafferty, D. and Dowell, M.S. 2002. Effect of yogurt on a urinary marker of bone resorption in postmenopausal women. *J. Am. Diet. Assn.* 102:1672.
- Heaney, R.P. 2002. The importance of calcium intake for lifelong skeletal health. *Calcif. Tissue Int.* 70:70.
- Heaney, R.P. 2003. Long-latency deficiency disease: insights from calcium and vitamin D. *Am. J. Clin. Nutr.* 78:912.
- Heaney, R.P. and Weaver, C.M. 2003. Calcium and vitamin D. *Endocrinol. Metab. Clin. N. Am.* 32:181.
- Heaney, R.P., Davies, K.M., Chen, T.C., Holick, M.F. and Barger-Lux, M.J. 2003. Human serum 25-hydroxycholecalciferol response to extended oral dosing with cholecalciferol. *Am. J. Clin. Nutr.* 77:204.
- Hegsted, D.M. 2001. Fractures, calcium, and the modern diet. *Am. J. Clin. Nutr.* 74:571.
- Heinemann, D.F. 2000. An overview of the National Osteoporosis Foundation clinical practice guide. *Geriatrics* 55:31.
- Holick, M.F. 2002. Too little vitamin D in premenopausal women: why should we care? *Am. J. Clin. Nutr.* 76:3.
- Holick, M.F. 2002a. Vitamin D: the underappreciated D-lightful hormone that is important for skeletal and cellular health. *Curr. Opin. Endocrinol. Diabetes* 9:87.
- Holick, M.F. 2004. Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am. J. Clin. Nutr.* 79:362.
- Hollis, B.W. and Wagner, C.L. 2004. Assessment of dietary vitamin D requirements during pregnancy and lactation. *Am. J. Clin. Nutr.* 79:717.

Holm, K., Dan, A., Wilbur, J., Li, S. and Walker, J. 2002. A longitudinal study of bone density in midlife women. *Health Care for Women Int.* 23:678.

Hoover, P.A., Webber, C.E., Beaumont, L.F., and Blake, J.M. 1996. Postmenopausal bone mineral density: relationship to calcium intake, calcium absorption, residual estrogen, body composition, and physical activity. *Can. J. Physiol. Pharmacol.* 74:911.

Hoppe, C., Mølgaard, C. and Michaelsen, F. 2000. Bone size and bone mass in 10-year-old Danish children: Effect of current diet. *Osteoporosis Int.* 11:1024.

Hosking, D.J., Ross, P.D., Thompson, D.E., Wasnich, R.D., McClung, M., Bjarnason, N.H., Ravn, P., Ciza, G., Daley, M and Yates, A.J. 1998. Evidence that increased calcium intake does not prevent early postmenopausal bone loss. *Clin. Ther.* 20:933.

Hu, J-F, Zhao, X-H, Jia, J-JB., Parpia, B and Campbell, T.C. 1993. Dietary calcium and bone density among middle-aged and elderly women in China. *Am. J. Clin. Nutr.* 58:219.

Hunter, D., Major, P., Arden, N., Swaminathan, R., Andrew, T., Macgregor, A.J., Keen, R., Sneider, H and Spector, T.D. 2000. A randomized, controlled trial fo vitamin D supplementation on preventing postmenopausal bone loss and modifying bone metabolism using identical twin pairs. *J Bone Min. Res.* 15:2276.

Huuskonen, J., Väistönen, S.B., Kröger, H., Jurvelin, J.S., Alhava, E. and Rauramaa, R. 2001. Regular physical exercise and bone mineral density: A four-year controlled randomized trial in middle-aged men. The DNASC Study. *Osteoporosis Int.* 12:355.

Ilich, J.Z., Skugor, M., Hangartner, T., Baoshe, A. and Matkovic, V. 1998. Relation of nutrition, body composition and physical activity to skeletal development: A cross-sectional study in preadolescent females. *J. Am. Col. Nutr.* 17:136.

Ilich, J. and Kerstetter, J.E. 2000. Nutrition in bone health revisited: A story beyond calcium. *J. Am. Col. Nutr.* 19:715.

Ilich, J.A., Brownbill, R.A. and Tamborini, L. 2003. Bone and nutrition in elderly women: protein, energy, and calcium as main determinants of bone mineral density. *Europ. J. Clin. Nutr.* 57:554.

Iwamoto, J., Takeda, T. and Ichimura, S. 2000. Effect of combined administration of vitamin D₃ and vitamin K₂ on bone mineral density of the lumbar spine in postmenopausal women with osteoporosis. *J Orthop. Sci.* 5:551.

Jensen, C., Holloway, L., Block, G., Själler, G., Gildengorin, G., Gunderson, E., Butterfield, G. and Marcus, R. 2002. Long-term effects of nutrient intervention on markers of bone remodeling and calcitropic hormones in late-postmenopausal women. *Am. J. Clin. Nutr.* 75:1114.

Johnell, O., Gullberg, B., Kanis, J.A., Allander, E., Elffors, L., Dequeker, J., Dilsen, G., Gennari, C., Vaz, A.L., Lyritis, G., Mazzuoli, G., Miravet, L., Passeri, M., Cano, R.P., Rapado, A. and Ribot, C. 1995. Risk factors for hip fracture in European women: The MEDOS Study. *J. Bone Min. Res.* 10:1802.

Johnston, C.C., Miller, J.Z., Slemenda, C.W., Reister, T.K., Hui, S., Christian, J.C. and Peacock, M. 1992. Calcium supplementation and increases in bone mineral density in children. *New Eng. J. Med.* 327:82.

Kanis, J., Johnell, O., Bullberg, B., Allander, E., Elffors, L., Ranstam, J., Dequeker, J., Dilsen, G., Gennari, C., Lopes Vaz, A., Lyritis, G., Mazzuoli, G., Miravet, L., Passeri, M., Perez Cano, R., Rapado, A. and Ribot, C. 1999. Risk factors for hip fracture in men from southern Europe: The MEDOS Study. *Osteoporosis Int.* 9:45.

Kardinaal, A.F.M., Ando, A., Charles, P., Charzewska, J., Rotily, M., Väänänen, K., Van Erp-Baart, A.M.J., Heikkinen, J., Thomsen, J., Maggiolini, M., Delorraine, A., Chabros, E., Juvin, R. and Schaafsma, G. 1999. Dietary calcium and bone density in adolescent girls and young women in Europe. *J. Bone Min. Res.* 14:583.

Kiel, D.P., Myers, R.H., Cu;les, L.A., Kong, X.F., Zhu, X.H., Ordovas, J., Schaefer, E.J., Felson, D.T., Rush, D., Wilson, P.W.F., Eisman, J.A. and Holick, M.F. 1997. The *BsmI* vitamin D receptor restriction fragment length polymorphism (bb) influences the effect of calcium intake on bone mineral density. *J. Bone Min. Res.* 12:1049.

Komulainen, M., Tuppurainen, M.T., Kröger, H., Heikkinen, A.M., Puntila, E., Alhava, E., Honkanen, R. and Saarikoski, S. 1997. Vitamin D and HRT: No benefit additional to that of HRT alone in prevention of bone loss in elderly postmenopausal women. A 2.5-year randomized placebo-controlled study. *Osteoporosis Int.* 7:126.

Krieg, M.A., Jacquet, A.F., Bremgartner, M., Cuttelod, S., Thiébaud, D. and Burckhardt, P. 1999. Effect of supplementation with vitamin D₃ and calcium on quantitative ultrasound of bone in elderly institutionalized women: A longitudinal study. *Osteoporosis Int.* 9:483.

Kristinsson, J.Ö., Valdimarsson, Ö., Steingrimsdottir, L. and Sigurdsson, G. 1994. Relation between calcium intake, grip strength and bone mineral density in the forearms of girls aged 13 and 15. *J. Int. Med.* 236:385.

Kristinsson, J.Ö., Valdimarsson, Ö., Sigurdsson, G., Franzon, L., Olafsson, I. and Steingrimsdottir, L. 1998. Serum 25-hydroxyvitamin D levels and bone mineral density in 16-20 year-old girls: lack of association. *J. Int. Med.* 243:381.

Kyriakidou-Himonas, M., Aloia, J.F. and Yeh, J.K. 1999. Vitamin D supplementation in postmenopausal black women. *J. Clin. Endocrin. Met.* 84:3988.

- Lamberg-Allardt, C., von Knorring, J., Slatis, P. and Holström, T. 1989. Vitamin D status and concentrations of serum vitamin D metabolites and osteocalcin in elderly patients with femoral neck fracture: a follow-up study. *Europ. J. Clin. Nutr.* 43:361.
- Lamberg-Allardt, C.J.E., Outila, T.A., Kärkkäinen, M.U.M., Rita, H.J. and Valsta, L.M. 2001. Vitamin D deficiency and bone health in healthy adults in Finland: Could this be a concern in other parts of Europe? *J. Bone Min. Res.* 16:2066.
- Lau, E.M.C., Woo, J., Swaminathan, R., MacDonald, D and Donnan, S.P.B. 1989. Plasma 25-hydroxyvitamin D concentration in patients with hip fracture in Hong Kong. *Gerontology* 35:198.
- Lau, E.M.C., Suriwongpaisal, P., Lee, J.K., De, D., Festin, M.R., Saw, S.M., Khir, A., Torralba, T., Sham, A. and Sambrook, P. 2001. Ris factors fro hip fracture in Asian men and women: The Asian Osteoporosis Study. *J. Bone Min. Res.* 16:572.
- Lee, W.T.K., Leung, S.S.F., Leung, D.M.Y., Tsang, H.S.Y., Lau, J. and Cheng, J.C.Y. 1995. A randomized double-blind controlled calcium supplementation trial, and bone and height acquisition in children. *Br. J. Nutr.* 74:125.
- Lehtonen-Veromaa, M.K.M., Möttönen, T.T., Nuotio, I.O., Irlala, K.M.A., Leino, A.E. and Viikari, J.S.A. 2002. Vitamin D and attainment of peak bone mass among peripubertal Finnish girls: a 3-y prospective study. *Am. J. Clin. Nutr.* 76:1446.
- Lim, H.W., Maylor, M., Honigsman, H., Gilchrest, B.A., Cooper, K., Morison, W., DeLeo, V.A. and Scherschun, L. 2000. American Academy of Dermatology consensus conference on UVA protection of sunscreens: Summary and recommendations. *J. Am. Acad. Dermatol.* 44:505.
- Lips, P., van Ginkel, C., Jongen, M.J.M., Rubertus, F., van der Vijgh, W.J.F. and Netelenbos, J.C. 1987. Determinants of vitamin D status in patients with hip fracture and in elderly control subjects. *Am. J. Clin. Nutr.* 46:1005.
- Lips, P., Graafmans, W.C., Ooms, M.E., Bezemer, P.D. and Bouter, L.M. 1996. Vitamin D supplementation and fracture incidence in elderly persons. *Ann. Int. Med.* 124:400.
- Lips, P. 2001. Vitamin D deficiency and secondary hyperparathyroidism in the elderly: Consequences for bone loss and fractures and therapeutic implications. *Endocrine Rev.* 22:477.
- Lloyd, T., Andon, M.B., Rollings, N., Martel, J.K., Landis, J.R., Demers, L.M., Eggle, D.F., Kieselhorst, K. and Kuling, H.E. 1993. Calcium supplementation and bone mineral density in adolescent girls. *J. Am. Med. Assn.* 270:841.

Lloyd, T., Martel, J.L., Rollings, N., Andon, M.B., Kulin, H., Demers, L.M., Effler, D.F., Kieselhorst, K. and Chinchilli, V.M. 1996. The effect of calcium supplementation and Tanner Stage on bone density, content and area in teenage women. *Osteoporosis Int.* 6:276.

Looker, A.C., Harris, T.B., Madans, J.H. and Sempos, C.T. 1993. Dietary calcium and hip fracture risk: The NHANES I Epidemiologic Follow-Up Study. *Osteoporosis Int.* 3:177.

Looker, A.X., Dawson-Hughes, B., Calmo, M.S., Gunter, E.W. and Sahyoun, N.R. 2002. Serum 25-hydroxyvitamin D status of adolescents and adults in two seasonal subpopulations from NHANES III. *Bone* 30:771.

Macdonald, H.M., New, S.A., Golden, M.H.N., Campbell, M.K. and Reid, D.M. 2004. Nutritional associations with bone loss during the menopausal transition: evidence of a beneficial effect of calcium, alcohol, and fruit and vegetable nutrient and of a detrimental effect of fatty acids. *Am. J. Clin. Nutr.* 79:155.

Maggiolini, M., Bonofiglio, D., Giorno, A., Catalano, S., Marsico, S., Aquila, S. and Andò, S. 1999. The effect of dietary calcium intake on bone mineral density in healthy adolescent girls and young women in Southern Italy. *Int. J. Epi.* 28:479.

Matkovic, V., Fontana, D., Tominac, C., Goel, P. and Chesnut, C.H. 1990. Factors that influence peak bone mass formation: a study of calcium balance and the inheritance of bone mass in adolescent females. *Am. J. Clin. Nutr.* 52:878.

Matkovic, V., Landoll, J.D., Badenhop-Stevens, N.E., Ha, E-Y., Crnceanic-Orlic, Z., Li, B. and Goel, P. 2004. Nutrition influences skeletal development from childhood to adulthood: a study of hip, spine, and forearm in adolescent females. *J. Nutr.* 134:701S.

Mazess, R.B., Barden, H.S., Christiansen, C., Harper, A.B. and Laughlin, W.S. 1985. Bone mineral and vitamin D in Aleutian Islanders. *Am. J. Clin. Nutr.* 42:143.

Merrilees, M.J., Smart, E.J., Gilchrist, N.L., Frampton, C., Turner, J.G., Hooke, E., March, R.L. and Maguire, P. 2000. Effects of dairy food supplements on bone mineral density in teenage girls. *Eur. J. Nutr.* 39:256.

Metz, J.A., Anderson, J.J.B. and Gallagher, P.N. Intakes of calcium, phosphorus, and protein, and physical activity level are related to radial bone mass in young adult women. 1993. *Am. J. Clin. Nutr.* 58:537.

Meunier, P.J. 1998. Calcium and vitamin D are effective in preventing fractures in elderly people by reversing senile secondary hyperparathyroidism. *Osteoporosis Int.* Suppl. 8:S1.

- Meunier, P.J. 1999. Calcium, vitamin D and vitamin K in the prevention of fractures due to osteoporosis. *Osteoporosis Int.* Suppl. 2:S48.
- Meyer, H.E., Smedshaug, G.B., Kvaavik, E., Falch, J.A., Tverdal, A and Pedersen, J.I. 2002. Can vitamin D supplementation reduce the risk of fracture in the elderly? A randomized controlled trial. *J. Bone Min. Res.* 17:709.
- Mezquita-Raya, P., Muñoz-Torres, M., De Dios Luna, J., Luna, V., Lopez-Rodriguez, F., Torres-Vela, E. and Escobar-Jiménez, E. 2001. Relation between vitamin D insufficiency, bone density, and bone metabolism in healthy postmenopausal women. *J. Bone Min. Res.* 16:1408.
- Michaëlsson, K., Bergström, R., Holmberg, L., Mallmin, H., Wolk, A. and Ljunghall, S. 1997. A high dietary calcium intake is needed for a positive effect on bone density in Swedish postmenopausal women. *Osteoporosis Int.* 7:155.
- Mixunuma, H., Okano, H., Soda, M., Tokizawa, S., Kagami, I., Miyamoto, S., Honjo, S. and Yosito, Y. 1996. Calcium supplements increase bone mineral density in women with low serum calcium levels during long-term estrogen therapy. *Endocrin J.* 43:411.
- Moore, C., Murphy, M.M., Keast, D.R. and Holick, M. 2004. Vitamin D intake in the United States. In press.
- Moro, M., van der Meulen, MC.H., Kiratli, B.J., Marcus, R., Bachrach, L.S. and Carter, D.R. 1996. Body mass is the primary determinant of midfemoral bone acquisition during adolescent growth. *Bone* 19:519.
- Murphy, S., Khaw, K-T., Juliet, H.M. and Compston, J.E. 1994. Milk consumption and bone mineral density in middle aged and elderly women. *Br. Med. J.* 308:939.
- National Institutes of Health Consensus Development Panel on Osteoporosis Prevention, Diagnosis, and Therapy. 2001. Osteoporosis prevention, diagnosis, and therapy. *J. Am. Med. Assn.* 285:785.
- National Osteoporosis Foundation. 2002. America's bone health: The state of osteoporosis and low bone mass. Accessed 4/22/04.
<http://www.nof.org/advocacy/prevalence/index.htm>
- National Osteoporosis Foundation. 2004. Prevalence of low bone mass and osteoporosis affects significant percentage of men and women in U.S. 50 and older. Accessed 4/22/04. <http://www.nof.org/osteoporosis/stats.htm>
- Need, A.G., Horowitz, M., Morris, H.A. and Nordin, B.E.C. 2000. Vitamin D status: effects on parathyroid hormone and 1,25-dihydroxyvitamin D in postmenopausal women. *Am. J. Clin. Nutr.* 71:1577.

- Nesby-O'Dell, S., Scanlon, K.S., Cogswell, M.E., Gillespie, C., Hollis, B.W., Looker, A.C., Allen, C., Dougherty, C., Bunter, E.W. and Bowman, B.A. 2002. Hypovitaminosis D prevalence and determinants among African American and white women of reproductive age: third National Health and Nutrition Examination Survey, 1988-1994. *Am. J. Clin. Nutr.* 76:187.
- Nguyen, T.V., Center, J.R. and Eisman, J.A. 2000. Osteoporosis in elderly men and women: effects of dietary calcium, physical activity, and body mass index. *J. Bone Min. Res.* 15:2000.
- Nivens, J.W., Golden, A.L., Siris, W., Kelsey, J.L. and Lindsay, R. 1995. Teenage and current calcium intake are related to bone mineral density of the hip and forearm in women aged 30-39 years. *Am. J. Epi.* 141:342.
- Nivens, J.W., Komar, L., Cosman, F. and Lindsay, R. 1998. Calcium potentiates the effect of estrogen and calcitonin on bone mass: review and analysis. *Am. J. Clin. Nutr.* 67:18.
- Nowson, C.A., Green, R.M., Hopper, J.L., Shervin, A.J., Young, D., Kaymakci, B., Guest, C.S., Smid, M., Larkins, R.G. and Wark, J.D. 1997. A co-twin study of the effect of calcium supplementation on bone density during adolescence. *Osteoporosis Int.* 7:219.
- Oliveri, M.B., Wittich, A., Mautalen, C., Chaperon, A. and Kizlansky, A. 2000. Peripheral bone mass is not affected by winter vitamin D deficiency in children and young adults from Ushuaia. *Calcif. Tissue Int.* 67:220.
- Ooms, M.E., Roos, J.S., Bezemer, P.D., van der Vijgh, W.J.F., Bouther, L.M. and Lips, P. 1995. Prevention of bone loss by vitamin D supplementation in elderly women: A randomized double-blind trial. *J. Clin. Endocrin. Met.* 80:1052.
- Orwoll, E.S., Oviatt, S.K., McClung, M.R., Deftos, L. and Sexton, G. 1990. The rate of bone mineral loss in normal men and the effects of calcium and cholecalciferol supplementation. *Ann. Int. Med.* 112:29.
- Outila, T.A., Ulla, M., Kärkkäinen, M.U.M., Seppänen, R.H., Lamberg-Allardt, C.J.E. 2000. Dietary intake of vitamin D in premenopausal, healthy vegans was insufficient to maintain concentrations of serum 25-hydroxyvitamin D and intact parathyroid hormone within normal ranges during the winter in Finland. *J. Am. Diet. Assn.* 100:434.
- Outila, T.A., Kärkkäinen, M.U.M. and Lamberg-Allardt, C.J.E. 2001. Vitamin D status affects serum parathyroid hormone concentrations during winter in female adolescents: associations with forearm bone mineral density. *Am. J. Clin. Nutr.* 74:206.

Owusu, W., Willett, W.C., Feskanich, D., Ascherio, A., Spiegelman, D and Colditz, G.A. 1997. Calcium intake and the incidence of forearm and hip fractures among men. *J. Nutr.* 127:1782.

Papadimitropoulos, E., Wells, G., Shea, B., Gillespie, W., Weaver, G., Zytaruk, N., Cranney, A., Adachi, J., Tugwell, P., Josse, R., Greenwood, C., Guyatt, G., The Osteoporosis Methodology Group and The Osteoporosis Research Advisory Group. 2002. VIII: Meta-analysis of the efficacy of vitamin D treatment in preventing osteoporosis in postmenopausal women. *Endocrine Rev.* 23:560.

Patel, R., Collins, D., Bullock, S., Swaminathan, R., Blake, G.M. and Fogelman, I. 2001. The effect of season and vitamin D supplementation on bone mineral density in healthy women: a double-masked crossover study. *Osteoporosis Int.* 12:319.

Peacock, M., Liu, G., Carey, M., McClintock, R., Ambrosius, W., Hui, S and Johnston, C. 2000. Effect of calcium or 25OH vitamin D₃ dietary supplementation on bone loss at the hip in men and women over the age of 60. *J. Clin Endocrin. Met.* 85:3011.

Pines, A., Katchman, H., Villa, Y., Mijatovic, V., Dotan, I., Levo, Y. and Ayalon, D. 1999. The effect of various hormonal preparations and calcium supplementation on bone mass in early menopause. Is there a predictive value for the initial bone density and body weight? *J. Int. Med.* 246:357.

Prestwood, K.M., Thompson, D.L., Kenny, A.M., Seibel, M.J., Pilbeam, C.C. and Raisz, L.G. 1999. Low dose estrogen and calcium have an additive effect on bone resorption in older women. *J. Clin. Endocrin. Met.* 84:179.

Prince, R., Devine, A., Dick I., Criddle, A., Kerr, D., Kent, N., Price, R. and Randell, A. 1995. The effects of calcium supplementation (milk powder or tablets) and exercise on bone density in postmenopausal women. *J. Bone Min. Res.* 10:1068.

Punnonen, R., Salmi, J., Tuimala, R., Järvinen, M. and Pystynen, P. 1986. Vitamin D deficiency in women with femoral neck fracture. *Maturitas* 8:291.

Ramalho, A.C., Lazaretti-Castro, M., Hauache, O., Vieira, J.G., Takata, E., Cafalli, F. and Tavares, F. 2001. Osteoporotic fractures of proximal femur: clinical and epidemiological features in a population of the city of São Paulo. *Sao Paulo Med. J.* 119:48.

Ramsdale, S.J., Bassey, E.J. and Pye, D.J. 1994. Dietary calcium intake related to bone mineral density in premenopausal women. *Br. J. Nutr.* 71:84.

Ranstam, J. and Kanis, J.A. 1995. Influence of age and body mass on the effects of vitamin D on hip fracture risk. *Osteoporosis Int.* 5:450.

- Recker, R.R., Davies, K.M., Hinders, S.M., Heandy, R.P., Stegman, M.R. and Kimmel, D.B. 1992. Bone gain in young adult women. *J. Am. Med. Assn.* 268:2403.
- Recker, R.R., Hinders, S., Davies, K.M., Heaney, R.P., Stegman, M.R., Lappe, J.M. and Kimmel, D.B. 1996. Correcting calcium nutritional deficiency prevents spine fractures in elderly women. *J. Bone Min. Res.* 11:96.
- Reid, I.R., Ames, R.W., Evans, M.X., Gamble, G.D. and Sharpe, S.J. 1993. Effect of calcium supplementation on bone loss in postmenopausal women. *New Eng. J. Med.* 328:460.
- Reid, I.R., Ames, R.W., Evans, M.C., Gamble, G.D. and Sharpe, J. 1995. Long-term effects of calcium supplementation on bone loss and fractures in postmenopausal women: A randomized controlled trial. *Am. J. Med.* 98:331.
- Reid, I.R. 1998. The roles of calcium and vitamin D in the prevention of osteoporosis. *Osteoporosis* 27:389.
- Renner, E., Hermes, M. and Stracke, H. 1999. Bone mineral density of adolescents as affected by calcium intake through milk and milk products. *Int. Dairy J.* 8:759.
- Ricci, T.A., Chowdhury, H.A., Heymsfield, S.B., Stahl, T., Pierson, R.N. and Shapses, S.A. 1998. Calcium supplementation suppresses bone turnover during weight reduction in postmenopausal women. *J. Bone Min. Res.* 13:1045.
- Riggs, B.L., O'Fallon, W.M., Muhs, J., O'Connor, M.K., Kumar, R. and Melton, L.J. 1998. Long-term effects of calcium supplementation on serum parathyroid hormone level, bone turnover, and bone loss in elderly women. *J. Bone Min. Res.* 13:168.
- Rosen, C.J., Morrison, A., Zhou, H., Strom, D., Hunter, S.J., Musgrave, K., Chen, T., Wen-Wei, and Holick, M.F. 1994. Elderly women in northern New England exhibit seasonal changes in bone mineral density and calcitropic hormones. *Bone and Mineral* 25:83.
- Rosen, G.S., Rennert, G., Dodiuk-Gad, R.P., Rennert, H.S., Ish-Shalom, N., Diab, G., Raz, B. and Ish-Shalom, S. 2003. Calcium supplementation provides an extended window of opportunity for bone mass accretion after menarche. *Am. J. Clin. Nutr.* 78:993.
- Rubin, L.A., Hawker, G.A., Peltekova, V.D., Fielding, L.J., Ridout, R. and Cole, D.E.C. 1999. Determinants of peak bone mass: Clinical and genetic analyses in a young female Canadian cohort. *J. Bone. Min. Res.* 14:633.
- Rudman, D., Rudman, I.W., Mattson, D.E., Nagraj, H.S., Cainfec, N. and Jackson, D.L. 1989. Fractures in the men of a Veteran Administration nursing home: relation to 1,25-dihydroxyvitamin D. *J. Am. Col. Nutr.* 8:324.

- Ruiz, J.X., Mandel, C. and Garabedian, M. 1995. Influence of spontaneous calcium intake and physical exercise on the vertebral and femoral bone mineral density of children and adolescents. *J. Bone Min. Res.* 10:675.
- Sahota, O. 2000. Osteoporosis and the role of vitamin D and calcium-vitamin D deficiency, vitamin D insufficiency and vitamin D sufficiency. *Age and Ageing* 29:301.
- Salamone, L.M., Glynn, N.W., Black, D.M., Ferrell, R.E., Palermo, L., Epstein, R.S., Kuller, L.E. and Cauley, J.A. 1996. Determinants of premenopausal bone mineral density: The interplay of genetic and lifestyle factors. *J. Bone Min. Res.* 10:1557.
- Shapses, S.A., von Thun, N.L., Heymsfield, S.B., Ricci, T.A., Ospina, M., Pierson, R.N. and Stahl, T. 2001. Bone turnover and density in obese premenopausal women during moderate weight loss and calcium supplementation. *J. Bone Min. Res.* 16:1329.
- Shea, B., Wells, G., Cranney, A., Zytaruk, N., Robinson, V., Griffith, L., Ortiz, Z., Peterson, J., Adachi, J., Tugwell, P., Guyatt, G., The Osteoporosis Methodology Group and The Osteoporosis Research Advisory Group. 2002. VII. Meta-analysis of calcium supplementation for the prevention of postmenopausal osteoporosis. *Endocrine Rev.* 23:552.
- Siris, W.S., Miller, P.D., Barrett-Connor, E., Faulkner, K.C., Wehren, L.E., Abbott, T.A., Berger, M.L., Santora, A.C. and Sherwood, L.M. 2001. Identification and fracture outcomes of undiagnosed low bone mineral density in postmenopausal women. *J. Am. Med. Assn.* 286:2815.
- Soroko, S., Holbrook, T.L., Edelstein, S. and Barrett-Connor, E. 1994. Lifetime milk consumption and bone mineral density in older women. *Am. J. Pub. Health* 84:1319.
- Sosa, M., Láinez, P., Arbelo, A. and Navarro, M.C. 2000. The effect of 25-dihydroxyvitamin D on the bone mineral metabolism of elderly women with hip fracture. *Rheumatology* 39:1263.
- Stear, S.J., Prentice, A., Jones, S.C. and Cole, T.J. 2003. Effect of a calcium and exercise intervention on the bone mineral status of 16-18-old adolescent girls. *Am. J. Clin. Nutr.* 77:985.
- Stone, T., Mijake, M., Takeda, N., Tomomitsu, T., Otsuka, N and Fukunaga, M. 1996. Influence of exercise and degenerative vertebral changes on BMD: A cross-sectional study in Japanese men. *Gerontology* 42(suppl 1):57.
- Storm D., Eslin, R., Porter, E.S., Musgrave, K., Vereault, D., Patton, C., Kessenich, C., Mohan, S., Chen, T., Holick, M.F. and Rosen, C.J. 1998. Calcium supplementation prevents seasonal bone loss and changes in biochemical markers of bone turnover in elderly New England women: A randomized placebo-controlled trial. *J. Clin. Endocrin. Met.* 83:3817.

- Stracke, H., Renner, E., Knie, G., Leidig, G., Minne, H. and Federline, K. 1993. Osteoporosis and bone metabolic parameters in dependence upon calcium intake through milk and milk products. *Europ. J. Clin. Nutr.* 47:617.
- Strause, L., Saltman, P., Smith, K.T., Bracker, M. and Andon, M.B. 1994. Spinal bone loss in postmenopausal women supplemented with calcium and trace minerals. *J. Nutr.* 124:1060.
- Subar, A.F., Krebs-Smith, S.M., Cook, A. and Kahle, L.L. 1998. Dietary sources of nutrients among US adults, 1989 to 1991. *J. Am. Diet. Assn.* 98:537.
- Subar, A.F., Krebs-Smith, S.M., Cook, A. and Kahle, L.L. 1998a. Dietary sources of nutrients among US children, 1989 – 1991. *Ped.* 102:913.
- Suleiman, S., Nelson, M., Li, F., Buxton-Thomas, M. and Moniz, C. 1997. Effect of calcium intake and physical activity level on bone mass and turnover in healthy, white, postmenopausal women. *Am. J. Clin. Nutr.* 66:937.
- Tavani, A., Negri, E. and LaVecchia, C. 1995. Calcium, dairy products and the risk of hip fracture in women in Northern Italy. *Epidemiology* 6:554.
- Teegarden, D., Lyle, R.M., McCabe, G., McCabe, L.D., Proulx, W.R., Michon, K., Knight, A.P., Johnston, C.C. and Weaver, C.M. 1998. Dietary calcium, protein, and phosphorus are related to bone mineral density and content in young women. *Am. J. Clin. Nutr.* 68:749.
- Thomas, M.K., Lloyd-Jones, D.M., Thadhani, R.I., Shaw, A.C., Deraska, D.J., Kitch, B.T., Vamvakas, E.C., Dick, I.M., Princk, R.L. and Finkelstein, J.S. Hypovitaminosis D in medical inpatients. *New Eng. J. Med.* 338:777.
- Trivedi, D.P., Doll, R. and Khaw, K.T. 2003. Effect of four monthly oral vitamin D₃ (cholecalciferol) supplementation on fractures and mortality in men and women living in the community: randomized double blind controlled trial. *Br. Med. J.* 326:469.
- Tsai, K.S., Wahner, H.W., Offord, K.P., Melton III, L.J., Kumar, R. and Riggs, B.L. 1987. Effect of aging on vitamin D stores and bone density in women. *Calcif. Tissue Int.* 40:241.
- Tsukahara, N., Sato, K. and Ezawa, I. 1997. Effects of physical characteristics and dietary habits on bone mineral density in adolescent girls. *J. Nutr. Sci. Vitaminol.* 43:643.
- Tuppurainen, M.T., Komulainen, M., Kröger, H., Honkanen, R., Jurvelin, J., Puntila, E., Heikkinen, A.M., Alhava, E. and Saarikoski, S. 1998. Does vitamin D strengthen the increase in femoral neck BMD in osteoporotic women treated with estrogen? *Osteoporosis Int.* 7:32.

- Turner, L.W., Wang, M.Q. and Fu, Q.Q. 1998. Risk factors for hip fracture among Southern older women. *Southern Med. J.* 91:533.
- Ulivieri, F.M., Verdoia, C., Ortolani, S., Pellegrini, F., Trevisan, C and Parrini, L. 1986. *Ital. J. Orthop. Traumatol.* 12:401.
- Ulrich, C., Georgiou, C.C., Snow-Harter, M. and Gills, D.E. 1996. Bone mineral density in mother-daughter pairs: relations to lifetime exercise, lifetime milk consumption, and calcium supplements. *Am. J. Clin. Nutr.* 63:72.
- United States Department of Agriculture, Food Surveys and Research Group. 1996. Data Tables: Results from USDA's 1994-96 Continuing Survey of Food Intakes by Individuals and 1994-96 Diet and Health Knowledge Survey. Table Set 10. Accessed 2/1/04 at: <http://www.barc.usda.gov/bhnrc/foodsuey/pdf/Csfii3yr.pdf>
- United States Department of Agriculture. 1996. The Food Guide Pyramid. Home and Garden Bulletin # 252.
- United States Department of Agriculture, Food Surveys and Research Group. 1999. Pyramid Servings Data: Results from USDA's 1994-96 Continuing Survey of Food Intakes by Individuals. Table set 9. Accessed 5/3/04 at: http://www.barc.usda.gov/bhnrc/foodsuey/pdf/3yr_py.pdf
- United States Environmental Protection Agency. 1998. "SunWise School Program, Staying Healthy in the Sun." Pamphlet EPA430-K-98-004 accessed 4/21/04 at <http://www.epa.gov/sunwise/stayheal.html>
- United States Department of Agriculture, United States Department of Health and Human Services. 2000. Dietary Guidelines for Americans, Fifth Edition. Home and Garden Bulletin # 232.
- Ushiroyama, T., Ikeda, A. and Ueki, M. 2002. Effects of continuous combined therapy with vitamin K₂ and vitamin D₃ on bone mineral density and coagulofibrinolysis function in postmenopausal women. *Maturitas* 41:211.
- Uusi-Rasi, K., Sievänen, H., Vuori, I., Pasanen, M., Heinonen, A. and Oja, P. 1998. Associations of physical activity and calcium intake with bone mass and size in healthy women at different ages. *J. Bone Min. Res.* 13:133.
- Uusi-Rasi, K., Sievänen, H., Pasanen, M., Oja, P and Vuori, I. 2002. Association of physical activity and calcium intake with the maintenance of bone mass in premenopausal women. *Osteropros Int.* 13:211.
- van Beresteijn, E.C.H., van't Hof, M.A., Schaafsma, G., de Waard, H. and Duursma, S.A. 1990. Habitual dietary calcium intake and cortical bone loss in perimenopausal women: A longitudinal study. *Calcif. Tissue Int.* 47:338.

VanderBergh, M.R.W., DeMan, S.A., Witteman, C.M., Hofman, A., Trouerbach, W.T. and Grobbee, D.E. 1995. Physical activity, calcium intake, and bone mineral content in children in The Netherlands. *J. Epi. Comm. Health* 49:299.

Vieth, R., Chan, P-C. R. and MacFarlane, G.D. 2001. Efficacy and safety of vitamin D₃ intake exceeding the lowest observed adverse effect level. *Am. J. Clin. Nutr.* 73:288.

von Knorring, J., Släts, P., Weber, T.H. and Helenius, T. 1982. Serum levels of 25-hydroxyvitamin D, 24,25-dihydroxyvitamin D and parathyroid hormone in patients with femoral neck fracture in southern Finland. *Clin. Endocrin.* 17:189.

Wang, C-C., Crawford, P.B., Hudes, M., Van Loan, M., Siemering, K. and Bachrach, L.K. 2003. Diet in midpuberty and sedentary activity in prepuberty predict peak bone mass. *Am. J. Clin. Nutr.* 77:495.

Wang, M-C., Aguirre, M., Bhudhikanok, G.S., Kendall, C.G., Kirsch, S., Marcus, R. and Bachrach, L.K. 1997. Bone mass and hip axis length in healthy Asian, Black, Hispanic, and White American youths. *J. Bone Min. Res.* 12:1922.

Weatherall, M. 2000. A meta-analysis of 25 hydroxyvitamin D in older people with fracture of the proximal femur. *New Zealand Med. J.* 113:137.

Welten, D.C., Kemper, H.C.G., Post, G.B., Van Mechelen, W., Twisk, J., Lips, P. and Teule, G.J. 1994. Weight-bearing activity during youth is a more important factor for peak bone mass than calcium intake. *J. Bone Min. Res.* 9:1089.

Welten, D.C., Kemper, H.C.G., Post, G.B. and Van Staveren, W.A. 1995. A meta-analysis of the effect of calcium intake on bone mass in young and middle aged females and males. *J. Nutr.* 125:2802.

Winters-Stone, K.M. and Snow, C.M. 2004. One year of oral calcium supplementation maintains cortical bone density in young adult female distance runners. *Int. J. Sport Nutr. Exercise Met.* 14,7.

Xu, L., McElduff, P., D'Este, C. and Attia, J. 2004. Does dietary calcium have a protective effect on bone fractures in women? A meta-analysis of observational studies. *Br. J. Nutr.* 91:625.